



# CARRARA SERIES

600mm x 600mm . 300mm x 600mm



# CARRARA

M6015 / 600mm x 600mm



Porcelain



Floor

V2

Variation



# CARRARA

M6015 HE36045 / 600mm x 600mm  
300mm x 600mm



Porcelain



Floor



Wall

V2

Variation



# CARRARA

HE36045 / 600mm x 600mm



Porcelain



Floor



Wall

V2

Variation

# CARRARA SERIES

300mm x 600mm 12" x 24"

600mm x 600mm 24" x 24"



Porcelain



Floor



Wall



V2

Variation



HE36045



M6015

## MAIN OFFICE:

2A Street, My Xuan A industries, My Xuan Ward  
Phu My Town, Ba Ria - Vung Tau Province  
Tel: 84 254 393 2333  
Fax: 84 254 393 2338

## CAN THO BRANCH

424-426 Nguyen Van Cu, KV6, An Binh Ward  
Ninh Kieu District, Can Tho City  
Tel: 84 292 383 9999  
Fax: 84 292 383 1111

## HAI PHONG BRANCH

750 Nguyen Van Linh Street,  
Le Chan District, Hai Phong City  
Tel: 84 225 378 4555  
Fax: 84 225 378 4666

## HO CHI MINH BRANCH

270A Ly Thuong Kiet Street, 10 District  
Ho Chi Minh City  
Tel: 84 283 3864 9800  
Fax: 84 283 3864 9808

## DA NANG BRANCH

Lot 48, No.4 Street, An Don - Da Nang Industries  
Son Tra District, Da Nang City  
Tel: 84 236 393 1222  
Fax: 84 236 393 1228

## HA NOI BRANCH

Ha Noi shipping Factory, Thanh Tri Ward  
Hoang Mai District, Ha Noi City  
Tel: 84 243 3644 6555  
Fax: 84 243 3644 6553













## NHA TRANG BRANCH

Phu Nam 3 Village, Dien An commune,  
Dien Khanh District, Khanh Hoa Province  
Tel: 84 258 3770 229  
Fax: 84 258 3821 086

## WHITE HORSE CERAMIC INDUSTRIES (VIET NAM) CO.LTD


Email: [cshq@whitehorse.vn](mailto:cshq@whitehorse.vn)  
[whvn@vnn.vn](mailto:whvn@vnn.vn)  
Website: [www.whitehorse.vn](http://www.whitehorse.vn)

# TEST REPORT

DIMENSIONS AND SURFACE QUALITY	PORCELAIN TILES - GROUP BIa		PHYSICAL PROPERTIES	PORCELAIN TILES - GROUP BIa		CHEMICAL PROPERTIES	PORCELAIN TILES - GROUP BIa	
	ISO 10545 Standard	White Horse Tiles (Test Result By SIRIM)		ISO 10545 Standard	White Horse Tiles (Test Result By SIRIM)		ISO 10545 Standard	White Horse Tiles (Test Result By SIRIM)
Length and Width	± 0.6%	Passed	 Water Absorption	Maximum 0.5%	Average 0.07% Individual Maximum 0.10%	 Chemical Resistance To Household Chemical Of Glazed Tiles	Minimum GB	No Visible Effect (GA)
Thickness	± 0.5%	Passed	 Breaking Strength	Not Less Than 1300N	Average 2000N	 Chemical Resistance To Swimming Pool Salts Of Glazed Tiles	Minimum GB	No Visible Effect (GA)
Straightness of Sides	± 0.5%	Passed	 Modulus of Rupture	Minimum 35N/mm <sup>2</sup>	Average 63N/mm <sup>2</sup> Individual Minimum 56N/mm <sup>2</sup>	 Chemical Resistance To Hydrochloric Acid (3%) Of Glazed Tiles	GLA: No Visible Effect	GLA
Rectangularity	± 0.6%	Passed	 Resistance to Deep Abrasion of Unglazed Tiles	Maximum 175mm <sup>3</sup>	126mm <sup>3</sup>	 Chemical Resistance To Citric Acid (100g/l) Of Glazed Tiles	GLB: Definite Change In Appearance	GLA
Flatness of Surface	± 0.5%	Passed	 Resistance to Surface Abrasion of Glazed Tiles	Class3: For Normal Footwear Class4: For Regular Traffic With Some Scratching Dirt	Class4	 Chemical Resistance To Potassium Hydroxide (30g/l) Of Glazed Tiles	GLC: Partial Or Complete Loss Of The Original Surface	GLA
Centre Curvature	± 0.5%							
Edge Curvature	± 0.5%	Passed						
Warpage	± 0.5%	Passed						
Surface Quality	A Minimum of 100% free from visible defects	Passed	 Crazing Resistance	No Crazing Observed	Pass	 Staining Resistance Test Of Glazed Tiles	Minimum Class 3	Class5 (Stain Can Be Easily Removed With Running Hot Water)

## SHADE & TONALITIES


**V1** UNIFORM FROM TILE TO TILE



**V1**

Colour range and tonality within the same shade is fairly uniform from tile to tile.  
Minimal to zero difference among tiles from the same production run.


**V2** SLIGHTLY NOTICEABLE FROM TILE TO TILE



**V2**

Colour range and tonality within the same shade is slightly noticeable from tile to tile.  
Visibly distinguished difference in design or pattern with minimal change in colour tones.


**V3** MODERATELY NOTICEABLE FROM TILE TO TILE



**V3**

Colour range and tonality within the same shade is moderately noticeable from tile to tile.  
Visibly distinguished difference in design or pattern.

**V4** DISTINCTLY NOTICEABLE FROM TILE TO TILE



**V4**

Colour range and tonality within the same shade is distinctly noticeable from tile to tile.  
Random colour differences from tile to tile create the possibility of unique tile compositions.

SIZE	CARTON		PALLET	
	Pcs/Ctn	Pallet	M2/Ctn	M2/Pallet
30 cm x 60 cm	8	72	1.44	103.68
60 cm x 60 cm	4	40	1.44	57.6

ELEGANCE  
INNOVATIVE

SUPERIOR QUALITY